

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	0	370/352 same transcoding	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L9	767	370/352 and transcoding	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L10	41	370/352 and transcoding and bypassing	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L11	54	transcoding same bypassing	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L12	82	transcod\$3 same bypassing	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L13	19	transcod\$3 same bypassing same (communication\$ or telecommunication\$)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L14	359	Tandem Free Operation	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L15	20995	370/352	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L16	19	Tandem Free Operation same 3GPP2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L17	1	Tandem Free Operation same 3GPP2 same messag \$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L18	103	Tandem Free Operation same messag\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L19	863	transcoding same optim\$5	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L20	327	transcoding and bypassing	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L21	10	Tandem Free Operation same codec same type and (encoding same format)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L22	1	10/512103	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L23	1	(TFO or tandem free operation) and protocol and bypassing near protocol and encoding and transcoding	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L24	10	(TFO or tandem free operation) and protocol and bypassing and protocol and encoding and transcoding	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L25	4	(TFO or tandem free operation) and protocol and bypassing and protocol and encoding and transcoding and version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L26	1	(TFO or tandem free operation) and protocol and bypassing near protocol and encoding and transcoding and version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L27	16	(TFO or tandem free operation) and protocol near version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L28	2	(TFO or tandem free operation) and protocol near version near handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L29	12	(TFO or tandem free operation) and protocol near version and handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L30	1	(TFO or tandem free operation) near version and handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L31	33	(TFO or tandem free operation) same version and handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L32	1	(TFO or tandem free operation) same version near handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L33	2	(TFO or tandem free operation) same version same handling	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L34	8	("20010006895" "20010024960" "20010024960" "6172974" "6324409"). FN.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L35	0	("20010006895" "20010024960" "20010024960" "6172974" "6324409"). FN. and version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L36	3	@ad< "20030424" and (tandem free capabilit\$3). ti.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/11/08 14:39
L37	0	@ad< "20030424" and (bypass\$3 transcoding).ti.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/11/08 14:39
L38	0	@ad< "20030424" and (bypassing transcoding).ti.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/11/08 14:39
L39	27	@ad< "20030424" and bypassing transcoding	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/11/08 14:39
L40	17278	transcod\$5 or codec with version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L41	1570	(transcod\$5 or codec) with version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L42	990	(transcod\$5 or codec) with version and capabilities	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L43	95	(transcod\$5 or codec) with version with capabilities	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L44	1	(transcod\$5 or codec) with version request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L45	5	(transcod\$5 or codec) same version request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L46	20	(transcod\$5 or codec) same version near request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L47	20	(transcod\$5 or codec) same version near request and protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L48	20	(transcod\$5 or codec) same version near request and protocol and version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L49	15	@ad< "20020424" and (transcod\$5 or codec) same version near request and protocol and version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L50	5	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and version same bypassing same protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L51	2	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and version same bypassing with protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L52	1347	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and protocol version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L53	54	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and protocol version and bypassing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L54	52	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and protocol version and bypassing and request	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L55	2	@ad< "20020424" and (transcod\$5 or codec or gateway or translator) and request near protocol version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L56	729561	version	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L57	90764	bypassing	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L58	16468	transcod\$3	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L59	322	L56 and L57 and L58	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L60	121	@ad< "20020424" and L59	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L61	1323363	capabilities	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L62	102	L60 and L61	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L63	0	@ad< "20020424" and L56 near L57 near L58	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L64	0	@ad< "20020424" and L56 with L57 with L58	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L65	0	@ad< "20020424" and L56 same L57 same L58	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L66	6	@ad< "20020424" and L56 same L58 and L57	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L67	573	@ad< "20020424" and (transcoder free operation or TFO)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L68	4	L67 and L59	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L69	583	@ad< "20020424" and (tandem free operation or TFO)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L70	4	L68 and L59	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L71	0	L69 and L66	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L72	898650	protocol	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L73	38	L56 same L57 same L72	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L74	2783291	@ad< "20020424" and "34"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L75	10	@ad< "20020424" and L73	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L76	4	"6785276"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L77	2	"20090281799"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L78	14	("20020131377" "20040110539" "4901307" "5103459" "5956673" "5995923" "7023880").PN.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L79	0	("20020131377" "20040110539" "4901307" "5103459" "5956673" "5995923" "7023880").PN. and L59	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L80	3	("20020131377" "20040110539" "4901307" "5103459" "5956673" "5995923" "7023880").PN. and L56	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L81	48	"5956673"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L82	0	(Method And Apparatus For Improving The Voice Quality Of Tandemed Vocoders).ti.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L83	2	PCT 95CA704	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

L84	10	transcoding same bypassing and protocol and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L85	4	version near5 (bypass\$3 or by\$pass\$3) near5 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L86	6	(version (bypass\$3 or by \$pass\$3) protocol) not internet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/11/08 14:39
L87	32	(version (bypass\$3 or by \$pass\$3) protocol) not internet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/11/08 14:39
L88	58	vocoder bypass\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2010/11/08 14:39
L89	0	vocoder bypass\$3 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	NEAR	ON	2010/11/08 14:39
L90	0	vocoder bypass\$3 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L91	4	vocoder bypass\$3 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	SAME	ON	2010/11/08 14:39
L92	1	"20050232232".pn. and bypass\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	SAME	ON	2010/11/08 14:39
L93	1	"20050232232".pn. and bypass\$4 and protocol and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	SAME	ON	2010/11/08 14:39
L94	1	version near3 bypassing protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	NEAR	ON	2010/11/08 14:39

L95	5	version bypassing protocol	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L96	26	"6172974"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L97	1	"6172974".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L98	0	"6172974".pn. and starting	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L99	0	"6172974".pn. and beginning	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L100	0	"6172974".pn. and begin\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L101	1	"6172974".pn. and start\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L102	1	"6172974".pn. and ms a	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L103	1	"6172974".pn. and ("ms a" or originat\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L104	1	"6172974".pn. and (identif \$3 near\$3 capabilities)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	WITH	ON	2010/11/08 14:39
L105	165	TFO and version not molecule not chemistr\$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39
L106	11	TFO and protocol version not molecule not chemistr \$3	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/08 14:39

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21133	370/352	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:29
L2	1329	370/357	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:29
L3	3652	700/94	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:30
L4	25516	1 2 3	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 14:30
L5	0	4 and method near initiat\$3 near bypassing near (((transcod\$3 operation) or TCO). clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:33
L6	1	4 and method with initiat\$3 with bypassing with (((transcod\$3 operation) or TCO). clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:34
L7	1	method with initiat\$3 with bypassing with (((transcod\$3 operation) or TCO). clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:35
L107	1	method with initiat\$3 with bypassing with (((transcod\$3 operation) or TFO).clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/11/08 14:43

11/ 8/ 2010 2:44:12 PM

C:\Documents and Settings\ffahner\My Documents\EAST\Workspaces\10_512,103.wsp